



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2019

The future of geographic information displays from GIScience, cartographic, and cognitive science perspectives

Thrash, Tyler ; Fabrikant, Sara I ; Brügger, Annina ; Do, Cao Tri ; Huang, Haosheng ; Richter, Kai-Florian ; Lanini-Maggi, Sara ; Bertel, Sven ; Credé, Sascha ; Gartner, Georg ; Münzer, Stefan

Abstract: With the development of modern geovisual analytics tools, several researchers have emphasized the importance of understanding users' cognitive, perceptual, and affective tendencies for supporting spatial decisions with geographic information displays (GIDs). However, most recent technological developments have focused on support for navigation in terms of efficiency and effectiveness while neglecting the importance of spatial learning. In the present paper, we will envision the future of GIDs that also support spatial learning in the context of large-scale navigation. Specifically, we will illustrate the manner in which GIDs have been (in the past) and might be (in the future) designed to be context-responsive, personalized, and supportive for active spatial learning from three different perspectives (i.e., GIScience, cartography, and cognitive science). We will also explain why this approach is essential for preventing the technological infantilizing of society (i.e., the reduction of our capacity to make decisions without technological assistance). Although these issues are common to nearly all emerging digital technologies, we argue that these issues become especially relevant in consideration of a person's current and future locations.

DOI: <https://doi.org/10.4230/LIPICs.COSIT.2019.19>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-177174>

Book Section

Published Version



The following work is licensed under a Creative Commons: Attribution 3.0 Unported (CC BY 3.0) License.

Originally published at:

Thrash, Tyler; Fabrikant, Sara I; Brügger, Annina; Do, Cao Tri; Huang, Haosheng; Richter, Kai-Florian; Lanini-Maggi, Sara; Bertel, Sven; Credé, Sascha; Gartner, Georg; Münzer, Stefan (2019). The future of geographic information displays from GIScience, cartographic, and cognitive science perspectives. In: Timpf, Sabine; Schlieder, Christoph; Kattenbeck, Markus; Ludwig, Bernd; Stewart, Kathleen. 14th International Conference on Spatial Information Theory. COSIT 2019, September 9–13, 2019, Regensburg, Germany. Saarbrücken: Schloss Dagstuhl – Leibniz-Zentrum fuer Informatik, 19.1-19.11.

DOI: <https://doi.org/10.4230/LIPICs.COSIT.2019.19>

The Future of Geographic Information Displays from GIScience, Cartographic, and Cognitive Science Perspectives

Tyler Thrash 

Department of Geography / Digital Society Initiative, University of Zurich, Switzerland
tyler.thrash@geo.uzh.ch

Sara I. Fabrikant 


Department of Geography / Digital Society Initiative, University of Zurich, Switzerland
sara.fabrikant@geo.uzh.ch

Annina Brügger 

Department of Geography,
University of Zurich, Switzerland
annina.bruegger@geo.uzh.ch

Cao Tri Do

Institute for Biomedical Engineering,
University of Zurich / ETH Zurich, Switzerland
cdo@biomed.ee.ethz.ch

Haosheng Huang 

Department of Geography,
University of Zurich, Switzerland
haosheng.huang@geo.uzh.ch

Kai-Florian Richter 

Department of Computing Science,
Umea University, Sweden
kai-florian.richter@umu.se

Sara Lanini-Maggi 

Department of Geography / Digital Society Initiative, University of Zurich, Switzerland
sara.maggi@geo.uzh.ch

Sven Bertel

Center for Interaction, Visualization, and Usability, Hochschule Flensburg, Germany
sven.bertel@hs-flensburg.de

Sascha Credé 

Department of Geography,
University of Zurich, Switzerland
sascha.crede@geo.uzh.ch

Georg Gartner 

Department of Geodesy and Geoinformation,
TU Wien, Austria
georg.gartner@tuwien.ac.at

Stefan Münzer

Department of Psychology,
University of Mannheim, Germany
stefan.muenzer@uni-mannheim.de

Abstract

With the development of modern geovisual analytics tools, several researchers have emphasized the importance of understanding users' cognitive, perceptual, and affective tendencies for supporting spatial decisions with geographic information displays (GIDs). However, most recent technological developments have focused on support for navigation in terms of efficiency and effectiveness while neglecting the importance of spatial learning. In the present paper, we will envision the future of GIDs that also support spatial learning in the context of large-scale navigation. Specifically, we will illustrate the manner in which GIDs have been (in the past) and might be (in the future) designed to be context-responsive, personalized, and supportive for active spatial learning from three different perspectives (i.e., GIScience, cartography, and cognitive science). We will also explain why this approach is essential for preventing the technological infantilizing of society (i.e., the reduction of our capacity to make decisions without technological assistance). Although these issues are common to nearly all emerging digital technologies, we argue that these issues become especially relevant in consideration of a person's current and future locations.

2012 ACM Subject Classification Human-centered computing → Geographic visualization

Keywords and phrases visual displays, geographic information, cartography, cognitive science

Digital Object Identifier 10.4230/LIPICs.COSIT.2019.19

Category Vision Paper



© Tyler Thrash, Sara Lanini-Maggi, Sara I. Fabrikant, Sven Bertel, Annina Brügger, Sascha Credé, Cao Tri Do, Georg Gartner, Haosheng Huang, Stefan Münzer, and Kai-Florian Richter;
licensed under Creative Commons License CC-BY

14th International Conference on Spatial Information Theory (COSIT 2019).

Editors: Sabine Timpf, Christoph Schlieder, Markus Kattenbeck, Bernd Ludwig, and Kathleen Stewart;
Article No. 19; pp. 19:1–19:11



Leibniz International Proceedings in Informatics
LIPICs Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

Funding *Tyler Thrash*: Supported by the Digital Society Initiative and the ERC Advanced Grant GeoViSense.

Sara Lanini-Maggi: Supported by the Digital Society Initiative and the ERC Advanced Grant GeoViSense.

Annina Brügger: Supported by the Canton of Zurich.

Sascha Credé: Supported by the Swiss National Science Foundation [156072].

1 Introduction

One serious consequence of global urbanization is the additional strain on cities' transportation networks. From the perspectives of engineers, economists, and planners, an apparent solution to this challenge is to allocate more resources towards public (and automated) modes of transportation (e.g., trains) and their optimization in terms of network efficiency [31]. However, people from different cultures vary with respect to their acceptance of public transportation and may consider public transportation as an affront to their own autonomy. Another possible solution to this transportation challenge is to indirectly improve network efficiency (in terms of user-centered metrics [31]) and user experience by improving individuals' spatial decision-making. This solution may be achieved with the design of geographic information displays (GIDs) that are context-responsive, personalized, and supportive for spatial learning. While a complete reliance on automated public transportation may require the development of artificial intelligence, our vision for the future of GIDs emphasizes the importance of intelligent assistance that provides relevant information to a person capable of reasoning.

For the present paper, we define GIDs as primarily visual displays that present spatial information and can facilitate navigation through a large-scale, real-world environment. Following Montello [37], we consider a large-scale environment as one that is larger than the human body and requires locomotion for apprehension. Our recommendations focus on the geographic information provided to individual pedestrians but may be extended to individuals within a multimodal transportation network. Previous research in this area tends to investigate spatial information, the visualization of spatial information, or users' knowledge of spatial information gained from different visualizations. We approach the problem from all three of these complementary perspectives: GIScience, cartography, and cognitive science (respectively).

2 GIDs from a GIScience perspective

From a GIScience perspective, some of the primary challenges associated with GIDs are context modeling, context inference, context management, and context adaptation. "Context" refers to the information used to characterize a person, place, or object that is relevant for human-system interaction [11]. Research on context modeling and GIDs attempts to derive a classification structure for sets of (spatial and non-spatial) information that are relevant for a particular task. For example, Sarjakoski and Nivala [53] classify contextual factors along seven dimensions, including user characteristics (e.g., demographics, goals, cognitive abilities), location/orientation, time, navigation history, technical properties, properties of the physical environment, and properties of the social situation. One open issue for context models and GIDs is the determination of appropriate methods for identifying and quantifying the relevance of particular sets of information.

Once relevant contextual factors are modeled, researchers can attempt to infer high-level context information from various sources of low-level raw data [24]. GIDs require context inference because raw sensor data would be uninformative for the user. Possible sources of ‘raw sensor data’ for GIDs include physical sensors (e.g., physiological sensors worn by the user), data from web applications and services (e.g., online social media), and users’ implicit (e.g., past experience) and explicit (e.g., button press) outputs. Context inference also requires methods for integrating these different data sources because a contextual factor may not be reducible to one particular source. For example, the relative difficulty of navigating two possible routes from the user’s current location to her destination may depend on both her past experience with that route and the current weather. Effective (and automated) methods and models for integrating different data sources and inferring context are still missing today [24]. Here, machine learning may prove to be an especially efficient and effective method for GIDs.

Context modeling, context inference, and context management often assume that human-system interactions will remain stable over time. Despite the growing number of raw data sources and the increasing complexity of context inference, GIDs must allow for the efficient retrieval and update of contextual information provided to the user. Human behavior changes as humans acquire more information regarding a system, and a particular contextual factor may not remain relevant forever. In order to address this challenge, technical systems must adapt to changes in context [21]. For example, during navigation, there are often frequent and rapid changes of spatial, attribute, and task contexts. Such context management is also critical for situations in which different contextual factors are interdependent. For example, users might realize that they are lost when they reach a particular boundary and then change their intended goal. Context adaptation requires an environmental awareness of changes in context and autonomous adjustments by the system in response to these changes. In addition, context adaptation can change the manner in which users interact with the system [9, 29].

3 GIDs from a cartographic perspective

From a cartographic perspective, the graphic elements represented by a GID (e.g., symbols indicating landmarks) should vary according to several “visual variables” in order to facilitate a user’s understanding [6, 51]. The seven original visual variables include location, size, shape, orientation, color hue, color value, and texture. Some visual variables are more appropriate for encoding categorical, ordinal, or continuous values [51]. For example, an ordinal value on a geographic representation should be encoded with respect to the size of the graphic element rather than its shape. In contrast, a categorical value may be better represented by different shapes instead of different sizes. Additional visual variables (i.e., color saturation, arrangement, crispness, resolution, transparency) have been used to characterize existing cartographic designs and tested with real users [34]. For example, transparency effectively focuses users’ attention on relevant geographic features compared to color saturation and color value [47, 62].

Visual variables may simplify geographic visualizations so that the encoded information is easy to comprehend, but new digital technologies allow for more realistic, 3D, high-resolution, animated, interactive visualizations than were previously possible. Animations have also been characterized in terms of dynamic visual variables, including moment, duration, frequency, order, rate of change, and synchronization [30, 12]. Users often prefer these relatively sophisticated visualizations over simpler visualizations of the same geographic

information [22]. For example, Hegarty and colleagues [22] found that undergraduate students and expert meteorologists rated realism, animation, detail, and 3D as desirable and effective characteristics for visual displays.

Sophisticated visualizations can also lead to improvement in the performance of navigation-related tasks. Researchers have developed and tested GIDs with advanced features such as the simultaneous representation of to-be-walked routes at multiple scales [10]. Delikostidis and colleagues [10] found that their “LandNavin” prototype led to more efficient and effective navigation behavior compared to an earlier version of Google Maps. The simultaneous representation of routes at different scales also reduced the need to frequently zoom in and out in order to orient, although the authors note that this function was somewhat confusing for some participants [10].

However, some research may indicate a performance advantage for simple visualizations because of fewer extraneous details (or “clutter”) that are not task-relevant [50]. For example, Hegarty and colleagues [22] found that realistic weather maps negatively affected novices’ (but not experts’) performance on map inference tasks. Similarly, Wilkening and Fabrikant [68] found that realistically shaded relief maps led to less accurate performance in a slope detection task than a simple contour map. These realistic relief maps also led to worse performance than a slope map that contained more visual clutter but explicitly represented task-relevant information [68].

The extent to which one visualization leads to better performance on a particular task than another visualization also depends largely on expertise [35, 22, 54] and emotional context [14]. Expertise may even influence the definition of a particular visualization as simple or sophisticated. For example, a circuit diagram or architectural plan might appear simple and concise to an expert engineer or architect (respectively), but the same visualization might appear sophisticated and confusing to the uninitiated [54]. Similarly, different visualizations may be more or less effective in different emotional contexts during navigation. Emotionally laden landmarks may also enhance users’ experience of location-based services [17] and improve recognition for the landmarks themselves [3]. In turn, memory for specific landmarks may facilitate the mental representation of the overall environment in a flexible manner.

4 GIDs from a cognitive science perspective

From a cognitive science perspective, GIDs should promote the user’s mental representation of the variety of spatial relations that can be employed during navigation. Humans are extremely flexible with respect to the types of spatial relations they can mentally represent, but researchers often fail to distinguish between the corresponding types of mental spatial representations [56]. For example, people can remember the structure of cells viewed through a microscope or the arrangement of galaxies viewed through a telescope. Our discussion of spatial memory is limited to mental and external representations of large-scale environments. However, spatial memory may vary along several additional dimensions of representation, including level of abstraction, reference frame, and metric [56, 66].

Changes in the scale of an external representation of an environmental space (i.e., a map) are often accompanied by a change in the generalization of features represented by that map [61]. Specifically, less features tend to be visible at smaller map scales (i.e., for larger spaces). Similarly, mental representations tend to be more abstract (i.e., grouped into higher-level categories with fewer details) when they are acquired among a larger stimulus set with partially overlapping features (i.e., via interference) [23] or when there is a larger delay between learning and testing (i.e., via decay) [26]. In order to account for cognitive processes

that result in abstraction, modern map applications automatically generalize features with changes in map scale [5]. However, these schematized maps may not perfectly match the intentions of the human cartographers, and human cartographers may not always predict the most effective map design a priori. Thus, future research on GIDs may focus on both the implications of map design for abstraction in spatial memory and the incorporation of expert knowledge into schematization/generalization algorithms.

Spatial reference frames are the contextual information required to specify a location and orientation in space [57]. Researchers often investigate the extent to which different sources of contextual information result in a spatial memory that is oriented with respect to one source or another as evidenced by patterns of error or response time during recall [40, 20]. While people tend to prefer one reference frame over another [18], navigation often requires the translation of spatial information from one reference frame to another [63]. Mental translations between map and bodily reference frames are needed, for example, when navigators use GIDs to find a goal.

In the spatial cognition literature, researchers often manipulate reference frames using stimuli from either a bird's-eye or ground-level perspective. Cartographic maps from a bird's-eye perspective may vary with respect to their orientation (e.g., north-up versus track-up) [39]. The primary differences between north-up and track-up maps are the alignment of bodily and map reference frames and variability in the orientation of the map [39]. GIDs may simplify the mental translations required during navigation by providing a track-up map and thus improve navigation efficiency [41]. However, maps with a consistent orientation (e.g., north-up) may facilitate spatial memory for object-to-object relations (i.e., allocentric memory) [41]. In addition, images or prompts from a ground-level perspective may reflect past first-person experience of a space without aligning with the observer's current orientation [19].

Spatial memories may also vary in terms of metric (i.e., a distance function relating each location to each other location in a space). In the spatial cognition literature, a metric may be defined with respect to the underlying coordinate system of a mental representation or a property of the space being learned. According to the "dominant" theory of spatial knowledge acquisition [8, 27, 60], spatial memories become more metric and more Euclidean as the observer learns a space during navigation. In other words, with experience, the distances between mentally represented locations become more consistent, and the distance function relating different remembered locations begins to resemble the straight-line distance normally experienced in the physical environment (assuming no obstacles). However, people rarely develop an Euclidean spatial memory of familiar environments [64, 52], and spatial memories with different metrics may be acquired from the same environment simultaneously [27, 55].

The metrics of spatial memories also tend to vary because of properties of the space being learned. Euclidean memories may be rare because environments contain physical obstacles. Thus, the functional distance between locations (i.e., the amount of time required to move from one location to another) may be a more relevant metric for understanding mental spatial representations [49]. In addition, GIDs can provide spatial information with an underlying metric that is not Euclidean or functional. Indeed, many public transportation maps represent graph distances between locations. For example, signs in the London tube indicate the number of stops between locations. Some researchers suggest that people tend to mentally represent navigable spaces as graphs [28, 36], but the consequences of GIDs that represent spaces as graphs for spatial memory are largely unknown.

In general, a closer correspondence between the external representation of spaces provided by GIDs and the internal representation of spaces acquired in spatial memory is assumed to improve navigation efficiency (i.e., the speed with which one finds a goal location), although this correspondence is often under-specified in the literature [54]. In addition, there are

several reasons to consider whether this improvement in efficiency necessarily corresponds to an improvement in the accuracy of spatial memory. First, external representations of environmental features reduce the necessity of actively encoding these features in spatial memory [42, 44, 45]. Active encoding (e.g., rehearsing and elaborating familiar content) improves most types of memory, including survey knowledge [67]. Second, by providing navigation instructions along a route, GIDs reduce the need for users to make explicit navigation decisions [2, 9]. Explicit decision-making may be especially important for learning a route so that the route may be reproduced in the future without the GID. Third, GIDs draw visual attention away from the environment, so users experience the space less directly [15, 16]. Visual attention on the environment is especially important for incorporating landmark knowledge into spatial memory [14].

5 Vision for the future of GIDs

The future of GIDs requires a better understanding of users' cognitive and emotional processes. From this interdisciplinary perspective, we need new design guidelines for the development of effective and efficient GIDs that are adapted to different contexts, application domains, and presentation forms. These GIDs should also be personalized in terms of individual and group differences such as spatial learning abilities and familiarity with the environment [4]. To conclude, we propose several examples of design recommendations for future GIDs in the context of pedestrian wayfinding (see Table 1 for a summary).

■ **Table 1** Summary of design recommendations for future GIDs.

GID element	Design recommendation
Landmarks	Emphasize emotionally relevant landmarks
Landmarks	Provide virtual landmarks via augmented reality
Landmarks	Emphasize landmarks at critical decision points
Routes	Provide multiple route options
Routes	Personalize route options to match individual preferences
Topography	Only provide sparse information under time pressure
Topography	Provide richer details without time pressure

To ameliorate the negative side effects of GIDs on different aspects of spatial memory, researchers should develop GIDs that support active encoding, explicit decision-making, and visual attention on the physical environment. For active encoding, users should be required to use the information provided by the GID in a more effortful way than current systems demand. For example, to promote explicit decision-making, GIDs could provide several route options to users at various decision points [65]. The provision of additional options (up to a point) may increase satisfaction with the option eventually chosen and improve memory for that particular option. GIDs could also employ this approach in order to provide more personalized route recommendations in the future. Finally, augmented reality applications could enhance the visualization of critical landmarks along a route in order to maintain users' attention on their immediate surroundings. Increased visual attention towards landmarks at critical decision points may improve recognition of those landmarks, and improved recognition for particular landmarks can facilitate route knowledge [55]. Together, the evidence suggests that such changes to the visualizations and instructions provided by GIDs could improve spatial memory without incurring a substantial cost or requiring significant advances in GID technologies [7].

Interaction with technology is an omnipresent and integrated part of our everyday lives. Importantly, the way we design technologies will change their everyday use, as well as the way in which we think and interact with the world in general [38]. The rise of mobile navigation technologies has a variety of benefits for users and for the efficiency of wayfinding and transportation in a complex urban society. However, scientific evidence for the negative influences of current GIDs on spatial memory and human cognition have led to discontent and worry regarding the autonomy of the navigator. More generally, technological systems with different “levels of automation” [43, 59, 7] result in different levels of user engagement while performing a particular task. For example, a passenger airplane does not require the pilot to constantly monitor and steer the vehicle over the course of a long flight, but the pilot should be sufficiently engaged with the task of flying to intervene in case of an emergency [13]. At the societal level, such GIDs are now widely accepted and intensively used, increasing the efficiency of transportation networks and sometimes preventing dangerous situations. However, given the visibility of accidents attributable to autonomous systems, they are also sometimes considered a threat to human safety [33]. Indeed the future technological progress of society may depend on the extent to which humans accept being part of an autonomous system.

The term “technological infantilizing” has been used to describe the process by which technology acquires the responsibility of humans for reasoning and leads to a gradual decrease in cognitive skills [38]. With the growing number of smartphones in the world, users may tend to extensively rely on mobile applications such as GIDs. The practical and ethical implications of a potential large-scale decrease in individuals’ spatial abilities are far-reaching. A widespread dependency on mobile technology might weaken the individual and empower the corporations and institutions that provide these services, leading to oppression and control. It is therefore necessary for us to understand the extent to which the technological infantilization may surpass a users’ ability to reason about space. When one seeks to develop a novel GID, he should consider the ratio between the potential benefits of such technologies and these associated risks [58].

The core functionality of future systems will still be the efficiency with which they guide us from one location to another by providing cognitively economic route instructions. With the capabilities of new GIDs to identify contextual states (e.g., traffic jams) and users’ psychological states (e.g., positive or negative moods) in real time using advanced sensors, there is the potential for developers to extend beyond this core functionality. For example, a device may be able to combine movement data (e.g., velocity) with data from physiological sensors (e.g., arousal in terms of electrodermal activity) and assess users’ level of stress. In a high stress state (i.e., high velocity and high arousal), the information display may emphasize sparse route information. In a low stress state (i.e., low velocity and low arousal), the user’s attentional resources might allow for the processing of richer information, and devices could display additional details and/or landmarks.

Emerging technologies such as augmented reality may be useful for providing an additional layer of support for spatial navigation [48] and spatial learning [32]. One remaining challenge is the design of experimental tasks that can be used to evaluate the usability of augmented reality in a meaningful manner [25]. Here again, we must carefully consider responsive designs [46]. While such technologies provide additional data for the creation of context-responsive and personalized GIDs, we must also consider new social, ethical, and legal aspects of GID usage, including user privacy [24, 1].

References

- 1 Roba Abbas, Katina Michael, and MG Michael. The regulatory considerations and ethical dilemmas of location-based services (LBS). *Information Technology & People*, 27(1):2–20, February 2014.
- 2 Jonathan Z Bakdash, Sally A Linkenauger, and Dennis Proffitt. Comparing decision-making and control for learning a virtual environment: Backseat drivers learn where they are going. In *Proceedings of the human factors and ergonomics society annual meeting*, volume 52, pages 2117–2121. SAGE Publications Sage CA: Los Angeles, CA, 2008.
- 3 Ceylan Z Balaban, Florian Roser, and Kai Hamburger. The effect of emotions and emotionally laden landmarks on wayfinding. In *Proceedings of the Annual Meeting of the Cognitive Science Society*, volume 36, 2014.
- 4 Andrea Ballatore and Michela Bertolotto. Personalizing Maps. *Communications of the ACM*, 58(12), 2015.
- 5 Thomas Barkowsky, Longin Jan Latecki, and Kai-Florian Richter. Schematizing maps: Simplification of geographic shape by discrete curve evolution. In *Spatial Cognition II*, pages 41–53. Springer, 2000.
- 6 Jacques Bertin, William J Berg, and Howard Wainer. *Semiology of graphics: diagrams, networks, maps*, volume 1. University of Wisconsin Press: Madison, 1983.
- 7 Annina Brügger, Kai-Florian Richter, and Sara Irina Fabrikant. How does navigation system behavior influence human behavior? *Cognitive research: principles and implications*, 4(1):5, 2019.
- 8 Elizabeth R Chrastil and William H Warren. From cognitive maps to cognitive graphs. *PloS ONE*, 9(11):e112544, 2014.
- 9 Jaewoo Chung, Francesco Pagnini, and Ellen Langer. Mindful navigation for pedestrians: Improving engagement with augmented reality. *Technology in Society*, 45:29–33, 2016.
- 10 Ioannis Delikostidis, Corn   P.J.M. van Elzakker, and Menno-Jan Kraak. Overcoming challenges in developing more usable pedestrian navigation systems. *Cartography and Geographic Information Science*, 43(3):189–207, May 2016.
- 11 Anind K Dey. Understanding and Using Context. *Personal Ubiquitous Comput.*, 5(1):4–7, January 2001.
- 12 David DiBiase, Alan M MacEachren, John B Krygier, and Catherine Reeves. Animation and the role of map design in scientific visualization. *Cartography and geographic information systems*, 19(4):201–214, 1992.
- 13 Mica R Endsley. Toward a theory of situation awareness in dynamic systems. *Human factors*, 37(1):32–64, 1995.
- 14 Aaron Gardony, Tad T Bruny  , Caroline R Mahoney, and Holly A Taylor. Affective states influence spatial cue utilization during navigation. *Presence: Teleoperators and Virtual Environments*, 20(3):223–240, 2011.
- 15 Aaron L Gardony, Tad T Bruny  , Caroline R Mahoney, and Holly A Taylor. How navigational aids impair spatial memory: Evidence for divided attention. *Spatial Cognition & Computation*, 13(4):319–350, 2013.
- 16 Aaron L Gardony, Tad T Bruny  , and Holly A Taylor. Navigational aids and spatial memory impairment: the role of divided attention. *Spatial Cognition & Computation*, 15(4):246–284, 2015.
- 17 Georg Gartner. Putting Emotions in Maps – The Wayfinding Example, 2012. URL: http://www.mountaincartography.org/publications/papers/papers_taurewa_12/papers/mcw2012_sec3_ch08_p061-065_gartner.pdf.
- 18 Klaus Gramann, Hermann J M  ller, Eva-Maria Eick, and Bernd Sch  nebeck. Evidence of separable spatial representations in a virtual navigation task. *Journal of Experimental Psychology: Human Perception and Performance*, 31(6):1199, 2005.
- 19 Nathan Greenauer, Catherine Mello, Jonathan W Kelly, and Marios N Avraamides. Integrating spatial information across experiences. *Psychological research*, 77(5):540–554, 2013.

- 20 Nathan Greenauer and David Waller. Intrinsic array structure is neither necessary nor sufficient for nonegocentric coding of spatial layouts. *Psychonomic Bulletin & Review*, 15(5):1015–1021, 2008.
- 21 Amy L Griffin, Travis White, Carolyn Fish, Beate Tomio, Haosheng Huang, Claudia Robbi Sluter, João Vitor Meza Bravo, Sara I Fabrikant, Susanne Bleisch, Melissa Yamada, et al. Designing across map use contexts: a research agenda. *International Journal of Cartography*, 3(sup1):90–114, 2017.
- 22 Mary Hegarty, Harvey S Smallman, Andrew T Stull, and Matt S Canham. Naïve cartography: How intuitions about display configuration can hurt performance. *Cartographica: The International Journal for Geographic Information and Geovisualization*, 44(3):171–186, 2009.
- 23 Douglas L Hintzman. " Schema abstraction" in a multiple-trace memory model. *Psychological review*, 93(4):411, 1986.
- 24 Haosheng Huang, Georg Gartner, Jukka M. Krisp, Martin Raubal, and Nico Van de Weghe. Location based services: ongoing evolution and research agenda. *Journal of Location Based Services*, 2018.
- 25 Haosheng Huang, Manuela Schmidt, and Georg Gartner. Spatial Knowledge Acquisition with Mobile Maps, Augmented Reality and Voice in the Context of GPS-based Pedestrian Navigation: Results from a Field Test. *Cartography and Geographic Information Science*, 39(2):107–116, January 2012.
- 26 Janellen Huttenlocher, Larry V Hedges, and Susan Duncan. Categories and particulars: prototype effects in estimating spatial location. *Psychological review*, 98(3):352, 1991.
- 27 Toru Ishikawa and Daniel R Montello. Spatial knowledge acquisition from direct experience in the environment: Individual differences in the development of metric knowledge and the integration of separately learned places. *Cognitive psychology*, 52(2):93–129, 2006.
- 28 Amir-Homayoun Javadi, Beatrix Emo, Lorelei R Howard, Fiona E Zisch, Yichao Yu, Rebecca Knight, Joao Pinelo Silva, and Hugo J Spiers. Hippocampal and prefrontal processing of network topology to simulate the future. *Nature communications*, 8:14652, 2017.
- 29 Peter Kiefer, Ioannis Giannopoulos, Vasileios Athanasios Anagnostopoulos, Johannes Schöning, and Martin Raubal. Controllability matters: The user experience of adaptive maps. *GeoInformatica*, 21(3):619–641, July 2017. URL: <http://link.springer.com/10.1007/s10707-016-0282-x>.
- 30 Barend Köbben and Mustafa Yaman. Evaluating dynamic visual variables. In *Proceedings of the seminar on teaching animated cartography, Madrid, Spain*, pages 45–51, 1995.
- 31 David Levinson. Perspectives on efficiency in transportation. *International Journal of Transport Management*, 1(3):145–155, 2003.
- 32 Hengshan Li and Nicholas Giudice. Assessment of multi-level structural and topological properties on cognitive map development in multi-level built environments. In *International Conference on Spatial Cognition 2016*, 2016.
- 33 Allen Yilun Lin, Kate Kuehl, Johannes Schöning, and Brent Hecht. Understanding “ Death by GPS ”: A Systematic Analysis of Catastrophic Incidents Associated with Personal Navigation Technologies. In *CHI 2017*, Denver, CO,USA, 2017.
- 34 Alan M MacEachren, Robert E Roth, James O’Brien, Bonan Li, Derek Swingley, and Mark Gahegan. Visual semiotics & uncertainty visualization: An empirical study. *IEEE Transactions on Visualization and Computer Graphics*, 18(12):2496–2505, 2012.
- 35 Sara Maggi, Sara Irina Fabrikant, Jean-Paul Imbert, and Christophe Hurter. How do display design and user characteristics matter in animations? An empirical study with air traffic control displays. *Cartographica: The International Journal for Geographic Information and Geovisualization*, 51(1):25–37, 2016.
- 36 Tobias Meilinger, Gerald Franz, and Heinrich H Bühlhoff. From isovists via mental representations to behaviour: first steps toward closing the causal chain. *Environment and Planning B: Planning and Design*, 39(1):48–62, 2012.

- 37 Daniel R Montello. Scale and multiple psychologies of space. In *European conference on spatial information theory*, pages 312–321. Springer, 1993.
- 38 Daniel R Montello. Cognitive research in GIScience: Recent achievements and future prospects. *Geography Compass*, 3(5):1824–1840, 2009.
- 39 Daniel R Montello. You are where? The function and frustration of you-are-here (YAH) maps. *Spatial Cognition & Computation*, 10(2-3):94–104, 2010.
- 40 Weimin Mou and Timothy P McNamara. Intrinsic frames of reference in spatial memory. *Journal of experimental psychology: learning, memory, and cognition*, 28(1):162, 2002.
- 41 Stefan Münzer, Hubert D Zimmer, and Jörg Baus. Navigation assistance: A trade-off between wayfinding support and configural learning support. *Journal of experimental psychology: applied*, 18(1):18, 2012.
- 42 Stefan Münzer, Hubert D Zimmer, Maximilian Schwalm, Jörg Baus, and Ilhan Aslan. Computer-assisted navigation and the acquisition of route and survey knowledge. *Journal of environmental psychology*, 26(4):300–308, 2006.
- 43 Raja Parasuraman, Thomas B Sheridan, and Christopher D Wickens. A Model for Types and Levels of Human Interaction with Automation, 2000.
- 44 Avi Parush, Shir Ahuvia, and Ido Erev. Degradation in spatial knowledge acquisition when using automatic navigation systems. In *International Conference on Spatial Information Theory*, pages 238–254. Springer, 2007.
- 45 Patrick Péruch and Paul N Wilson. Active versus passive learning and testing in a complex outside built environment. *Cognitive Processing*, 5(4):218–227, 2004.
- 46 Verena Radoczky. How to design a pedestrian navigation system for indoor and outdoor environments. In *Location based services and telecartography*, pages 301–316. Springer, 2007.
- 47 Tumasch Reichenbacher. The concept of relevance in mobile maps. In *Location based services and telecartography*, pages 231–246. Springer, 2007.
- 48 Gerhard Reitmayr and Dieter Schmalstieg. *Collaborative augmented reality for outdoor navigation and information browsing*. na, 2004.
- 49 John J Rieser, Jeffrey J Lockman, and Herbert L Pick. The role of visual experience in knowledge of spatial layout. *Perception & Psychophysics*, 28(3):185–190, 1980.
- 50 Ruth Rosenholtz, Yuanzhen Li, and Lisa Nakano. Measuring visual clutter. *Journal of vision*, 7(2):17–17, 2007.
- 51 Robert E Roth. Visual Variables. *International Encyclopedia of Geography: People, the Earth, Environment and Technology: People, the Earth, Environment and Technology*, pages 1–11, 2016.
- 52 Edward K Sadalla, W Jeffrey Burroughs, and Lorin J Staplin. Reference points in spatial cognition. *Journal of experimental psychology: human learning and memory*, 6(5):516, 1980.
- 53 Annu-Maaria Sarjakoski L. Tiina and Nivala. Adaptation to Context — A Way to Improve the Usability of Mobile Maps. In T. Meng L. and Reichenbacher and Zipf A, editors, *Map-based Mobile Services: Theories, Methods and Implementations*, pages 107–123. Springer Berlin Heidelberg, Berlin, Heidelberg, 2005.
- 54 Mike Scaife and Yvonne Rogers. External cognition: how do graphical representations work? *International journal of human-computer studies*, 45(2):185–213, 1996.
- 55 Victor R Schinazi and Russell A Epstein. Neural correlates of real-world route learning. *Neuroimage*, 53(2):725–735, 2010.
- 56 Victor R Schinazi, Tyler Thrash, and Daniel-Robert Chebat. Spatial navigation by congenitally blind individuals. *Wiley Interdisciplinary Reviews: Cognitive Science*, 7(1):37–58, 2016.
- 57 Amy L Shelton and Timothy P McNamara. Systems of spatial reference in human memory. *Cognitive psychology*, 43(4):274–310, 2001.
- 58 Stephen RJ Sheppard and Petr Cizek. The ethics of Google Earth: Crossing thresholds from spatial data to landscape visualisation. *Journal of environmental management*, 90(6):2102–2117, 2009.

- 59 T. B. Sheridan. *Humans and automation: System design and research issues*. John Wiley & Sons, Inc., 2002.
- 60 Alexander W Siegel and Sheldon H White. The development of spatial representations of large-scale environments. In *Advances in child development and behavior*, volume 10, pages 9–55. Elsevier, 1975.
- 61 Terry A Slocum, Robert M McMaster, Fritz C Kessler, Hugh H Howard, and Robert B Mc Master. *Thematic cartography and geographic visualization*. Prentice hall, 2008.
- 62 Olivier Swienty, Tumasch Reichenbacher, Simone Reppermund, and Joseph Zihl. The Role of Relevance and Cognition in Attention-guiding Geovisualisation. *The Cartographic Journal*, 45(3):227–238, August 2008.
- 63 Perry W Thorndyke and Barbara Hayes-Roth. Differences in spatial knowledge acquired from maps and navigation. *Cognitive psychology*, 14(4):560–589, 1982.
- 64 Barbara Tversky. Cognitive maps, cognitive collages, and spatial mental models. In *European conference on spatial information theory*, pages 14–24. Springer, 1993.
- 65 Hoang Tam Vo, Peng Ni, Chengbin Yan, Thirumurugan Eswaran, Jugal Shah, and Bob Massarczyk. Diversification of route planning results for improved user satisfaction. In *Intelligent Transportation Systems (ITSC), 2015 IEEE 18th International Conference on*, pages 2625–2630. IEEE, 2015.
- 66 Ranxiao Frances Wang. Theories of spatial representations and reference frames: What can configuration errors tell us? *Psychonomic bulletin & review*, 19(4):575–587, 2012.
- 67 Wen Wen, Toru Ishikawa, and Takao Sato. Individual differences in the encoding processes of egocentric and allocentric survey knowledge. *Cognitive science*, 37(1):176–192, 2013.
- 68 Jan Wilkening and Sara Irina Fabrikant. How do decision time and realism affect map-based decision making? In *International Conference on Spatial Information Theory*, pages 1–19. Springer, 2011.